

Attachment A - Old Fire House Facility Recommendation Process

October 28, 2025 Update

Overview	Below are pertinent details regarding the Stakeholder Group Process.
Elements	• Image 1: An updated description of how Stakeholder Groups and Focus Groups interact and how they form a recommendation to inform City Council's decision. • Image 2: Outlines the Multi-Objective Decision Analysis (MODA) process by which the Stakeholder Group will consider various factors. • Image 3: Updated list and detail for the factors the Stakeholder Group has discussed and used to determine their recommendation.




Image 1



Image 2

Factor	Definition
Accessibility	How each option addresses building accessibility requirements and community access needs.
Community sentiment	Community attitudes towards each option, including appreciation for history/legacy, and affection for the space.
Environmental sustainability	How well each option supports the City's goals of reducing environmental footprint of City facilities.
Estimated costs	Estimated costs of each option (includes potential expansion).
Equity and inclusion	How each option promotes access for underserved residents.
Expansion	Potential of each option to expand or reconfigure the facility.
Functionality and user needs	How each option meets the community's evolving and future needs in capacity, layout, programming, etc.
Lifespan of facility	How long each option could be used by the community.
Location	How each option meets the community's location needs.
Maintenance and operations	Each option's expected annual and long-term operations/upkeep/maintenance needs and costs.
Safety and regulatory compliance	Each option's safety and regulatory compliance needs (e.g., ADA, seismic).
Strategic planning	How each option aligns with the City's long-term strategic planning (e.g., Parks Plan, RSCC process) and previous feedback gathered from the strategic planning's community engagement efforts.
Timeline to open	How long it would take for each option to begin operations and be used by the public.

Image 3